



GUMMED TAPE CASE SEALER
MODEL: ZUMET EASY



SEMI AUTOMATIC GUMMED TAPE CASE SEALER

ZUMET EASY IS A SEMI AUTOMATIC CASE SEALER FOR HIGH VOLUME SEALING OPERATIONS FOR CARTONS WITH DIFFERENT DIMENSIONS. TOP AND BOTTOM SEALING OF CARTONS.

- √ **Durable:** robust frame with varnished steel sides, burnished and zined parts against corrosion.
- √ **Speed and efficiency:** 12 box/ min approx. Total closure for reduction of manpower.
- √ **For all type of gummed paper tape,** standard or reinforced.
- √ **Italian production,** little maintenance. Efficient and complete after- sales service.



TECHNICAL FEATURES	
Machine dimensions	mm. 1320x1020xh1550
Working surface height	mm. 650 - 800
Weight	Kg. 220 approx .
Electrical requirements	220V- 60Hz 1 ph
Air requirements	6 bar (90p.s.i.) 8 lt. Compressed air/min
Water	Water feeding per each head
Cases	
Length	from mm- 120
Width	mm. 120- 650
Height	mm. 100 - 600
Speed	12 cases/min approx.
Gummed paper rolls	
ext. Ø	mm. 460 max (18")
int. Ø	mm. 50 - 76 (3")
Width	mm. 50 - 80 (2"- 3 1/8")

AUTOMATIC GUMMED TAPE CASE SEALER WITH FLAP CLOSING DEVICE ZUMET EASY F

ZUMET YEASY IS A CASE SEALER FOR HIGH VOLUME SEALING OPERATIONS FOR CARTONS WITH DIFFERENT DIMENSIONS EQUIPPED WITH A FLAP FOLDING DEVICE FOR TOP AND BOTTOM SEALING OF CARTONS.

- √ **Durable:** robust frame with varnished steel sides, burnished and zined parts against corrosion.
- √ **Speed and efficiency:** 12 box/ min approx. Total closure with few effort from workers.
- √ **For all type of gummed paper tape**, standard or reinforced.
- √ **Italian production**, little maintenance. Efficient and complete after- sales service.



TECHNICAL FEATURES	
Machine dimensions	mm. 2000x1140xh1550
Working surface height	mm. 650 - 800
Weight	Kg. 250 approx .
Electrical requirements	220V- 60Hz 1 ph
Air requirements	6 bar (90p.s.i.) 22 lt. Compressed air/min
Water	Water feeding per each head
Cases	
Length	from mm- 120
Width	mm. 120- 650
Height	mm. 100 - 600
Speed	12 cases/min approx.
Gummed paper rolls	
ext. Ø	mm. 460 max (18")
int. Ø	mm. 50 - 76 (3")
Width	mm. 50 - 80 (2"- 3 1/8")

WWW.CYKLOP.IT

TELEFONO: +39 051 6516490 · E-MAIL: cyklopmi@cyklop.it

CYKLOP Srl
Divisione Zucchelli Umet
Via Luciano Lama 8
47924 Rimini
ITALY

